



DDMWorks Windshield Mount DDM-16-31



The DDMWorks windshield mount is designed to work with the Polaris Slingshot and offer some more mounting options than the stock windshield mount along with a way to route wires neatly into the vehicle.

If you are pretty handy with tools the windshield mount can be installed in one hour, however we suggest that you schedule at least a few hours for the installation.



If you have any questions during the installation you can call or text (864) 907-6004 or email us at Tech@ddmworks.com.

TOOLS NEEDED

Drill and Drill Bits
10mm socket and ratchet
Razor Blade
File

1. Disconnect the negative terminal from the battery.
2. Wear Gloves and Eye protection.

QTY	PART DESCRIPTION
1	Black anodized Windshield Mount
1	Stainless Steel Base Plate
2	M6 Nuts
2	M6 Lock Washers
2	M6 Washers
2	M6 Studs





119-A Hwy 183
Piedmont, SC 29673

Tech Support
(864) 907-6004 (call or text)
Email: Tech@DDMWorks.com

Windshield Mount Installation

1. The Polaris Slingshot Base Model has pre existing holes for a windshield mount. These holes will have plugs in them from the Factory and should be removed before starting the installation. If you have a Windshield mount already there will be two bolts in these holes holding your mount in place. You will have to remove these bolts and your current mount before starting this install.
2. Included in your kit is a flat stainless steel base plate. This base plate also acts as a template for the optional Wire Tuck feature. If you wish to utilize this wire tuck option place the base plate on top of your dash and line it up with the two holes for the windshield mount. I like to use two screw drivers to temporarily keep the base plate in line.
3. With the base plate lined up on top of your dash you can use a marker or paint pen to mark the location of the wire tuck hole.
4. After you have marked the hole, making sure the hole is closer to the front of the slingshot, remove the base plate and set it to the side.





Windshield Mount Installation

5. If you have not removed your Radio or storage compartment yet now is the time to do so. You will want to make sure all wires are clear for the next step which will involve some drilling and cutting.

6. With everything clear underneath the dash take your drill and a drill bit (I used a 7mm bit for this) and drill a few holes inside the area you marked for the wire tuck.

7. Next using a Razor Blade cut between the holes connecting them to remove the majority of the plastic. **Be Extremely careful ! It is recommended you wear gloves to help protect your hands from cuts.**

8. With most of the plastic removed you can go back in with your razor blade and trim up the edges. Finally cleaning them up with a hand File or a small piece of sand paper.



Windshield Mount Installation


9. You can realign your stainless steel base plate to make sure you have removed enough plastic. If everything looks good set the base plate off to the side, it is now time to install the mount on the dash.

10. Your Windshield mount will have two threaded studs sticking out of the bottom. These two studs will fit tightly into the holes in your dash and poke through the bottom.

11. With the Mount in place you will now be working inside the radio hole in the face of the dash. The Base plate will go under the dash and line up with the studs sticking through the top of the dash.

12. With the base plate in place use a regular washer than a lock washer followed by a nut to secure one half of the base plate to one of the studs. Then repeat on the second stud.

13. Once you have the hardware in place you can now tighten it down with your 10mm wrench. **Recommended torque spec is 10nm.**




Windshield Mount Installation

At this point the windshield mount install is finished.

You can now use the new Wire Tuck Feature and route your cables and cords through the mount and under your dashboard.

When you are finished routing your wires reinstall your radio or storage box.

And Install / Reinstall your windshield.




Congratulations! You have successfully installed your new Windshield Mount.



119-A Hwy 183
Piedmont, SC 29673

Tech Support



This product is
Jake the
Supercharger
Dog
Approved!

